

# SAFETY DATA SHEET

## JUSTIN BOOTS 3-IN-1 COMPLETE CARE

Printed: 01/07/2020

Revision: 01/07/2020

Supersedes Revision: 10/21/2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Code:** 97576  
**Product Name:** Justin Boots 3-in-1 Complete Care  
**Company Name:** Trenditions, LLC  
 3501 Raider Dr.  
 Hurst, TX 76053  
 817-399-0800  
**Web site address:** www.justinboots.com  
**Emergency Contact:** CHEMTREC +1 (800)424-9300  
**Intended Use:** Leather Conditioner

### 2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2A



**GHS Signal Word:** **Warning**  
**GHS Hazard Phrases:** H319 - Causes serious eye irritation.  
**GHS Precautionary Phrases:** P264 - Wash hands thoroughly after handling.  
 P280 - Wear eye protection.  
**GHS Response Phrases:** P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention.  
 P332+313 - If skin irritation occurs, get medical advice/attention.  
**GHS Storage and Disposal Phrases:** No phrases apply.  
**Other Hazards:** Causes mild skin irritation.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
61790-59-8	Amines, hydrogenated tallow alkyl, acetates	4.00 %
64742-47-8	Hydrotreated light distillate (petroleum)	2.40 %

### 4. FIRST AID MEASURES

#### Emergency and First Aid Procedures:

**In Case of Inhalation:** Remove victim to fresh air.  
**In Case of Skin Contact:** Wash with plenty of soap and water.  
**In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Call a physician.  
**In Case of Ingestion:** Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.  
**Note to Physician:** Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

**SAFETY DATA SHEET**  
**JUSTIN BOOTS 3-IN-1 COMPLETE CARE**

Page: 2 of 5  
Printed: 01/07/2020  
Revision: 01/07/2020  
Supersedes Revision: 10/21/2017

## 5. FIRE FIGHTING MEASURES

<b>Flash Pt:</b>	> 200 F (93.3 C)	Method Used:	Pensky-Marten Closed Cup
<b>Explosive Limits:</b>	LEL: No data.	UEL:	No data.
<b>Autoignition Pt:</b>	NA		
<b>Suitable Extinguishing Media:</b>	Use typical fire fighting media on surrounding flammable materials, including such things as water spray, dry chemical, foam and carbon dioxide.		
<b>Fire Fighting Instructions:</b>	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear.		
<b>Flammable Properties and Hazards:</b>	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of: nitrogen.		
<b>Hazardous Combustion Products:</b>	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of: nitrogen.		

## 6. ACCIDENTAL RELEASE MEASURES

<b>Protective Precautions, Protective Equipment and Emergency Procedures:</b>	Use proper personal protective equipment as indicated in Section 8.
<b>Environmental Precautions:</b>	Keep out of sewers and drains.
<b>Steps To Be Taken In Case Material Is Released Or Spilled:</b>	Ventilate the area. Avoid breathing vapor. Contain spill. Wipe up with absorbent material (e.g. cloth, fleece). Shovel up.

## 7. HANDLING AND STORAGE

<b>Precautions To Be Taken in Handling:</b>	Avoid contact with eyes. Do not ingest or inhale.
<b>Precautions To Be Taken in Storing:</b>	Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from heat, sparks and flame. Always check containers for leaks.
<b>Other Precautions:</b>	Handle in accordance with good industrial hygiene and safety practices. Keep out of reach of children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
61790-59-8	Amines, hydrogenated tallow alkyl, acetates	No data.	No data.	No data.
64742-47-8	Hydrotreated light distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.
<b>Respiratory Equipment (Specify Type):</b>	None required under normal conditions of use.			
<b>Eye Protection:</b>	Safety glasses.			
<b>Protective Gloves:</b>	Wear appropriate protective gloves to prevent skin exposure.			
<b>Other Protective Clothing:</b>	Wear appropriate protective clothing to prevent skin exposure.			
<b>Engineering Controls (Ventilation etc.):</b>	Good general ventilation should be sufficient to control airborne levels. Facilities storing or utilizing this material should be equipped with an eyewash facility, and a safety shower is recommended.			
<b>Work/Hygienic/Maintenance Practices:</b>	Handle in accordance with good industrial hygiene and safety practice. Do not smoke when using. Wash hands after use.			

# SAFETY DATA SHEET

## JUSTIN BOOTS 3-IN-1 COMPLETE CARE

Printed: 01/07/2020

Revision: 01/07/2020

Supersedes Revision: 10/21/2017

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical States:</b>	[ ] Gas [X] Liquid [ ] Solid	
<b>Appearance and Odor:</b>	Appearance: White. Lotion. Odor: Pleasant.	
<b>pH:</b>	4.5	
<b>Melting Point:</b>	NA	
<b>Boiling Point:</b>	NA	
<b>Flash Pt:</b>	> 200 F (93.3 C) Method Used: Pensky-Marten Closed Cup	
<b>Evaporation Rate:</b>	NA	
<b>Flammability (solid, gas):</b>	No data available.	
<b>Explosive Limits:</b>	LEL: No data.	UEL: No data.
<b>Vapor Pressure (vs. Air or mm Hg):</b>	NA	
<b>Vapor Density (vs. Air = 1):</b>	NA	
<b>Specific Gravity (Water = 1):</b>	0.97 - 0.99 at 68.0 F (20.0 C)	
<b>Density:</b>	NA	
<b>Bulk density:</b>	NA	
<b>Solubility in Water:</b>	NA	
<b>Saturated Vapor Concentration:</b>	NA	
<b>Octanol/Water Partition Coefficient:</b>	No data.	
<b>Percent Volatile:</b>	93.5 % by weight.	
<b>VOC / Volume:</b>	NA	
<b>HAP / Volume:</b>	NA	
<b>Autoignition Pt:</b>	NA	
<b>Decomposition Temperature:</b>	NA	
<b>Viscosity:</b>	≥500 CPS at 68.0 F (20.0 C)	
<b>Particle Size:</b>	NA	
<b>Heat Value:</b>	NA	
<b>Corrosion Rate:</b>	NA	

### 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	Not reactive at normal temperatures and pressures.
<b>Stability:</b>	Unstable [ ] Stable [X]
<b>Conditions To Avoid - Instability:</b>	High temperatures, Ignition sources, Incompatible materials.
<b>Incompatibility - Materials To Avoid:</b>	Strong oxidizers.
<b>Hazardous Decomposition or Byproducts:</b>	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of: nitrogen.
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ] Will not occur [X]
<b>Conditions To Avoid - Hazardous Reactions:</b>	No data available.

## 11. TOXICOLOGICAL INFORMATION

<b>Toxicological Information:</b>	Epidemiology: No information available. Teratogenicity: No information available. Reproductive Effects: No information available. Mutagenicity: No information available. Neurotoxicity: No information available.  Other Studies: CAS# 61790-59-8: Acute toxicity, LD50, Oral, Rat, > 2 g/kg.  Leather Lotion Blend: Acute Toxicity, Oral: ATEmix: 39,269 mg/kg Acute Toxicity, Dermal: ATEmix: 1,805 mg/kg.
<b>Irritation or Corrosion:</b>	May cause eye irritation.
<b>Symptoms related to Toxicological Characteristics:</b>	Direct contact with the eyes may result in irritation, reddening, and tearing. Vapors or mists, in excess of permissible concentrations, or in unusually high concentrations generated from spraying, heating the material, or from exposure in poorly ventilated areas or confined spaces, may cause irritation of the nose and throat, headache, nausea, and drowsiness. If more than several mouthfuls are swallowed, abdominal discomfort, nausea, and diarrhea may occur.
<b>Chronic Toxicological Effects:</b>	Constant exposure to skin may cause drying or defatting of skin.
<b>Carcinogenicity:</b>	NTP? No      IARC Monographs? No      OSHA Regulated? No

## 12. ECOLOGICAL INFORMATION

<b>General Ecological Information:</b>	Environmental: No information available. Physical: No information available.
<b>Results of PBT and vPvB assessment:</b>	No data available.
<b>Persistence and Degradability:</b>	No data available.
<b>Bioaccumulative Potential:</b>	No data available.
<b>Mobility in Soil:</b>	No data available.

## 13. DISPOSAL CONSIDERATIONS

<b>Waste Disposal Method:</b>	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.
-------------------------------	---

## 14. TRANSPORT INFORMATION

<b>LAND TRANSPORT (US DOT):</b>	
<b>DOT Proper Shipping Name:</b>	Not Regulated.
<b>DOT Hazard Class:</b>	
<b>UN/NA Number:</b>	

**SAFETY DATA SHEET**  
**JUSTIN BOOTS 3-IN-1 COMPLETE CARE**

Page: 5 of 5

Printed: 01/07/2020

Revision: 01/07/2020

Supersedes Revision: 10/21/2017

## 15. REGULATORY INFORMATION

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
61790-59-8	Amines, hydrogenated tallow alkyl, acetates	No	No	No
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No

CAS #	Hazardous Components (Chemical Name)
61790-59-8	Amines, hydrogenated tallow alkyl, acetates

### Other US EPA or State Lists

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAS #	Hazardous Components (Chemical Name)
61790-59-8	Amines, hydrogenated tallow alkyl, acetates
64742-47-8	Hydrotreated light distillate (petroleum)

### International Regulatory Lists

Canadian DSL: Yes; Canadian NDSL: No; Mexico INSQ: No

Canadian DSL: Yes; Canadian NDSL: No; Mexico INSQ: Yes

**Regulatory Information:** While this product does not contain any ingredients that are listed on CA Prop 65, use of this product on some leather materials may generate a chemical(s) that is listed on CA Prop 65.


**Regulatory Information Statement:** This information contained herein is based on data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to the vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in this data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third party persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes all risk in use of the material.

## 16. OTHER INFORMATION

**Revision Date:** 01/07/2020

**Preparer Name:** Crystal Maira

**Hazard Rating System:**



**Additional Information:** 01/07/2020 - SDS updated with formulary change. 01/07/2020 Routine review and updates to section 1,2,3,11,15

10/21/2017 - Corrected the product name and product code.

**Company Policy or Disclaimer:** This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Trendtions LLC. The data on this sheet related only to the specific material designated herein. Trendtions LLC assumes no legal responsibility for the use or reliance upon this data.